

**GW06** CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Drying Tube Angled, Thermometer Pocket Bottom Closed & more

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**13**  
PRODUCTS

**13**  
PACK  
OPTIONS

**₹1,100**  
PRICE FROM

**TYPICAL RESEARCH USE**

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                          | PRODUCT                                            | PACK SIZES | PRICE (₹) |
|-----------------------------------------|----------------------------------------------------|------------|-----------|
| <b>Drying Tube Angled</b>               |                                                    |            |           |
| GLT-GW06-001                            | Drying Tube Angled — Joint: B-19/26                | Pack of 12 | 4,350     |
| GLT-GW06-002                            | Drying Tube Angled — Joint: B- 24/29               | Pack of 12 | 4,950     |
| <b>Thermometer Pocket Bottom Closed</b> |                                                    |            |           |
| GLT-GW06-003                            | Thermometer Pocket Bottom Closed — Joint: B-14/23  | Pack of 12 | 2,280     |
| GLT-GW06-004                            | Thermometer Pocket Bottom Closed — Joint: B-19/26  | Pack of 12 | 2,580     |
| GLT-GW06-005                            | Thermometer Pocket Bottom Closed — Joint: B- 24/29 | Pack of 12 | 2,880     |
| <b>Glass Trap</b>                       |                                                    |            |           |
| GLT-GW06-006                            | Glass Trap — 00. xHt.: 60 × 250mm                  | Pack of 2  | 1,800     |
| GLT-GW06-007                            | Glass Trap — 00. xHt.: 70 × 300mm                  | Pack of 2  | 1,950     |
| <b>Bottle Gas Washing Complete</b>      |                                                    |            |           |
| GLT-GW06-008                            | Bottle Gas Washing Complete — Capacity: 125ml      | Pack of 2  | 2,540     |
| GLT-GW06-009                            | Bottle Gas Washing Complete — Capacity: 250ml      | Pack of 2  | 4,300     |
| GLT-GW06-010                            | Bottle Gas Washing Complete — Capacity: 500ml      | Pack of 2  | 3,200     |
| <b>Head For Gas Washing Bottle</b>      |                                                    |            |           |
| GLT-GW06-011                            | Head For Gas Washing Bottle — Capacity: 125ml      | Pack of 2  | 1,100     |
| GLT-GW06-012                            | Head For Gas Washing Bottle — Capacity: 250ml      | Pack of 2  | 1,200     |
| GLT-GW06-013                            | Head For Gas Washing Bottle — Capacity: 500ml      | Pack of 2  | 1,300     |

Full specifications and every pack size: Product Catalogue 2026-27, pages **501-506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026-27 · Edition 2.0 ·

GLT-FLY-GW06-01

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

**GW06** CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Adapter Receiving Plain Bend, Adapter Receiving With & more

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**9**  
PRODUCTS

**9**  
PACK  
OPTIONS

**₹230**  
PRICE FROM

**TYPICAL RESEARCH USE**

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                      | PRODUCT                                                    | PACK SIZES                | PRICE (₹)  |
|-------------------------------------|------------------------------------------------------------|---------------------------|------------|
| <b>Adapter Receiving Plain Bend</b> |                                                            |                           |            |
| <b>GLT-GW06-014</b>                 | Adapter Receiving Plain Bend — Socket: 14/23 · Cone: 14/23 | 1 pc (sold in pack of 12) | <b>230</b> |
| <b>GLT-GW06-015</b>                 | Adapter Receiving Plain Bend — Socket: 19/26 · Cone: 19/26 | 1 pc (sold in pack of 12) | <b>300</b> |
| <b>GLT-GW06-016</b>                 | Adapter Receiving Plain Bend — Socket: 29/26 · Cone: 24/29 | 1 pc (sold in pack of 12) | <b>340</b> |
| <b>GLT-GW06-017</b>                 | Adapter Receiving Plain Bend — Socket: 24/29 · Cone: 24/29 | 1 pc (sold in pack of 12) | <b>400</b> |
| <b>Adapter Receiving With</b>       |                                                            |                           |            |
| <b>GLT-GW06-018</b>                 | Adapter Receiving With — Socket: 14/23 · Cone: 14/23       | 1 pc (sold in pack of 12) | <b>412</b> |
| <b>GLT-GW06-019</b>                 | Adapter Receiving With — Socket: 19/26 · Cone: 19/26       | 1 pc (sold in pack of 12) | <b>412</b> |
| <b>GLT-GW06-020</b>                 | Adapter Receiving With — Socket: 29/26 · Cone: 24/26       | 1 pc (sold in pack of 12) | <b>600</b> |
| <b>GLT-GW06-021</b>                 | Adapter Receiving With — Socket: 24/29 · Cone: 24/29       | 1 pc (sold in pack of 12) | <b>525</b> |
| <b>Distillation Head</b>            |                                                            |                           |            |
| <b>GLT-GW06-022</b>                 | Distillation Head — Socket: 14/23 · Cone: 14/23            | 1 pc (sold in pack of 6)  | <b>400</b> |

Full specifications and every pack size: Product Catalogue 2026-27, pages **501-506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

**Order by Grace Cat. No. · quotations on request**

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026-27 · Edition 2.0 ·

GLT-FLY-GW06-02

**R&D Centre:** TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Distillation Head & Adapter Cone Right

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**11**  
PRODUCTS

**11**  
PACK  
OPTIONS

**₹200**  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.            | PRODUCT                                                     | PACK SIZES                | PRICE (₹) |
|---------------------------|-------------------------------------------------------------|---------------------------|-----------|
| <b>Distillation Head</b>  |                                                             |                           |           |
| GLT-GW06-023              | Distillation Head — Socket: 14/23 · Cone: 19/26 · option 1  | 1 pc (sold in pack of 6)  | 400       |
| GLT-GW06-024              | Distillation Head — Socket: 19/26 · Cone: 19/26             | 1 pc (sold in pack of 6)  | 400       |
| GLT-GW06-025              | Distillation Head — Socket: 14/23 · Cone: 19/26 · option 2  | 1 pc (sold in pack of 6)  | 400       |
| GLT-GW06-026              | Distillation Head — Socket: 14/23 · Cone: 24/29             | 1 pc (sold in pack of 6)  | 475       |
| GLT-GW06-027              | Distillation Head — Socket: 24/29 · Cone: 24/29             | 1 pc (sold in pack of 6)  | 575       |
| GLT-GW06-028              | Distillation Head — Socket: 29/32 · Cone: 29/32             | 1 pc (sold in pack of 6)  | 675       |
| <b>Adapter Cone Right</b> |                                                             |                           |           |
| GLT-GW06-029              | Adapter Cone Right — Socket: 14/23 · Cone: ..... · option 1 | 1 pc (sold in pack of 12) | 200       |
| GLT-GW06-030              | Adapter Cone Right — Socket: 19/26 · Cone: ..... · option 1 | 1 pc (sold in pack of 12) | 225       |
| GLT-GW06-031              | Adapter Cone Right — Socket: 24/29 · Cone: ..... · option 1 | 1 pc (sold in pack of 12) | 275       |
| GLT-GW06-032              | Adapter Cone Right — Socket: 29/32 · Cone: ..... · option 1 | 1 pc (sold in pack of 12) | 325       |
| GLT-GW06-033              | Adapter Cone Right — Socket: 24/35 · Cone: .....            | 1 pc (sold in pack of 12) | 350       |

Full specifications and every pack size: Product Catalogue 2026-27, pages **501-506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026-27 · Edition 2.0 ·

GLT-FLY-GW06-03

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Adapter Cone Right & Adapter Expansion

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**10**  
PRODUCTS

**10**  
PACK  
OPTIONS

**₹175**  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.            | PRODUCT                                                     | PACK SIZES                | PRICE (₹)  |
|---------------------------|-------------------------------------------------------------|---------------------------|------------|
| <b>Adapter Cone Right</b> |                                                             |                           |            |
| GLT-GW06-034              | Adapter Cone Right — Socket: 14/23 · Cone: ..... · option 2 | 1 pc (sold in pack of 12) | <b>325</b> |
| GLT-GW06-035              | Adapter Cone Right — Socket: 19/26 · Cone: ..... · option 2 | 1 pc (sold in pack of 12) | <b>325</b> |
| GLT-GW06-036              | Adapter Cone Right — Socket: 24/29 · Cone: ..... · option 2 | 1 pc (sold in pack of 12) | <b>350</b> |
| GLT-GW06-037              | Adapter Cone Right — Socket: 29/32 · Cone: ..... · option 2 | 1 pc (sold in pack of 12) | <b>400</b> |
| GLT-GW06-038              | Adapter Cone Right — Socket: 34/35 · Cone: .....            | 1 pc (sold in pack of 12) | <b>512</b> |
| <b>Adapter Expansion</b>  |                                                             |                           |            |
| GLT-GW06-039              | Adapter Expansion — Socket: 19/26 · Cone: 14/23             | 1 pc (sold in pack of 12) | <b>175</b> |
| GLT-GW06-040              | Adapter Expansion — Socket: 14/29 · Cone: 19/26             | 1 pc (sold in pack of 12) | <b>200</b> |
| GLT-GW06-041              | Adapter Expansion — Socket: 24/29 · Cone: 14/23             | 1 pc (sold in pack of 12) | <b>200</b> |
| GLT-GW06-042              | Adapter Expansion — Socket: 29/32 · Cone: 24/29             | 1 pc (sold in pack of 12) | <b>225</b> |
| GLT-GW06-043              | Adapter Expansion — Socket: 29/32 · Cone: 19/26             | 1 pc (sold in pack of 12) | <b>225</b> |

Full specifications and every pack size: Product Catalogue 2026–27, pages **501–506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

**Order by Grace Cat. No. · quotations on request**

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-04

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Adapter Expansion & Adapter Reduction

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**10**  
PRODUCTS

**10**  
PACK  
OPTIONS

**₹175**  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.           | PRODUCT                                         | PACK SIZES                | PRICE (₹) |
|--------------------------|-------------------------------------------------|---------------------------|-----------|
| <b>Adapter Expansion</b> |                                                 |                           |           |
| GLT-GW06-044             | Adapter Expansion — Socket: 29/32 · Cone: 14/26 | 1 pc (sold in pack of 12) | 225       |
| GLT-GW06-045             | Adapter Expansion — Socket: 34/35 · Cone: 29/32 | 1 pc (sold in pack of 12) | 275       |
| GLT-GW06-046             | Adapter Expansion — Socket: 34/35 · Cone: 24/29 | 1 pc (sold in pack of 12) | 275       |
| GLT-GW06-047             | Adapter Expansion — Socket: 34/35 · Cone: 19/26 | 1 pc (sold in pack of 12) | 275       |
| GLT-GW06-048             | Adapter Expansion — Socket: 34/35 · Cone: 14/23 | 1 pc (sold in pack of 12) | 275       |
| GLT-GW06-049             | Adapter Expansion — Socket: 40/38 · Cone: 24/19 | 1 pc (sold in pack of 12) | 275       |
| GLT-GW06-050             | Adapter Expansion — Socket: 45/40 · Cone: 34/35 | 1 pc (sold in pack of 12) | 450       |
| GLT-GW06-051             | Adapter Expansion — Socket: 55/44 · Cone: 34/35 | 1 pc (sold in pack of 12) | 725       |
| <b>Adapter Reduction</b> |                                                 |                           |           |
| GLT-GW06-052             | Adapter Reduction — Socket: 14/23 · Cone: 19/26 | 1 pc (sold in pack of 12) | 175       |
| GLT-GW06-053             | Adapter Reduction — Socket: 14/23 · Cone: 24/26 | 1 pc (sold in pack of 12) | 200       |

Full specifications and every pack size: Product Catalogue 2026-27, pages **501-506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026-27 · Edition 2.0 ·

GLT-FLY-GW06-05

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Adapter Reduction

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**10**  
PRODUCTS

**10**  
PACK  
OPTIONS

**₹200**  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.           | PRODUCT                                         | PACK SIZES                | PRICE (₹)  |
|--------------------------|-------------------------------------------------|---------------------------|------------|
| <b>Adapter Reduction</b> |                                                 |                           |            |
| GLT-GW06-054             | Adapter Reduction — Socket: 14/23 · Cone: 29/32 | 1 pc (sold in pack of 12) | <b>200</b> |
| GLT-GW06-055             | Adapter Reduction — Socket: 14/26 · Cone: 24/29 | 1 pc (sold in pack of 12) | <b>225</b> |
| GLT-GW06-056             | Adapter Reduction — Socket: 19/26 · Cone: 29/32 | 1 pc (sold in pack of 12) | <b>225</b> |
| GLT-GW06-057             | Adapter Reduction — Socket: 19/26 · Cone: 34/35 | 1 pc (sold in pack of 12) | <b>225</b> |
| GLT-GW06-058             | Adapter Reduction — Socket: 19/26 · Cone: 45/40 | 1 pc (sold in pack of 12) | <b>275</b> |
| GLT-GW06-059             | Adapter Reduction — Socket: 19/26 · Cone: 55/54 | 1 pc (sold in pack of 12) | <b>275</b> |
| GLT-GW06-060             | Adapter Reduction — Socket: 24/29 · Cone: 29/32 | 1 pc (sold in pack of 12) | <b>275</b> |
| GLT-GW06-061             | Adapter Reduction — Socket: 24/29 · Cone: 34/35 | 1 pc (sold in pack of 12) | <b>275</b> |
| GLT-GW06-062             | Adapter Reduction — Socket: 24/29 · Cone: 40/38 | 1 pc (sold in pack of 12) | <b>275</b> |
| GLT-GW06-063             | Adapter Reduction — Socket: 24/29 · Cone: 45/40 | 1 pc (sold in pack of 12) | <b>450</b> |

Full specifications and every pack size: Product Catalogue 2026–27, pages **501–506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-06

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

**GW06** CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Adapter Reduction, Adapter Multiple Two Neck Parallel or Vertical & more

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**9**  
PRODUCTS

**9**  
PACK  
OPTIONS

**₹525**  
PRICE FROM

**TYPICAL RESEARCH USE**

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                                        | PRODUCT                                                                      | PACK SIZES                | PRICE (₹)    |
|-------------------------------------------------------|------------------------------------------------------------------------------|---------------------------|--------------|
| <b>Adapter Reduction</b>                              |                                                                              |                           |              |
| <b>GLT-GW06-064</b>                                   | Adapter Reduction — Socket: 24/29 · Cone: 55/44                              | 1 pc (sold in pack of 12) | <b>725</b>   |
| <b>Adapter Multiple Two Neck Parallel or Vertical</b> |                                                                              |                           |              |
| <b>GLT-GW06-065</b>                                   | Adapter Multiple Two Neck Parallel or Vertical — Socket: 19/26 · Cone: 19/26 | 1 pc (sold in pack of 12) | <b>525</b>   |
| <b>GLT-GW06-066</b>                                   | Adapter Multiple Two Neck Parallel or Vertical — Socket: 19/26 · Cone: 24/29 | 1 pc (sold in pack of 12) | <b>600</b>   |
| <b>GLT-GW06-067</b>                                   | Adapter Multiple Two Neck Parallel or Vertical — Socket: 19/26 · Cone: 34/35 | 1 pc (sold in pack of 12) | <b>700</b>   |
| <b>Condenser Double Surface With I/C Joint</b>        |                                                                              |                           |              |
| <b>GLT-GW06-068</b>                                   | Condenser Double Surface With I/C Joint — Length: 200mm · Joint: B - 24      | 1 pc                      | <b>775</b>   |
| <b>GLT-GW06-069</b>                                   | Condenser Double Surface With I/C Joint — Length: 300mm · Joint: B - 24      | 1 pc                      | <b>1,100</b> |
| <b>GLT-GW06-070</b>                                   | Condenser Double Surface With I/C Joint — Length: 400mm · Joint: B - 24      | 1 pc                      | <b>1,525</b> |
| <b>GLT-GW06-071</b>                                   | Condenser Double Surface With I/C Joint — Length: 450mm · Joint: B - 24      | 1 pc                      | <b>1,800</b> |
| <b>GLT-GW06-072</b>                                   | Condenser Double Surface With I/C Joint — Length: 600mm · Joint: B - 24      | 1 pc                      | <b>2,325</b> |

Full specifications and every pack size: Product Catalogue 2026-27, pages **501-506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

**Order by Grace Cat. No. · quotations on request**

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026-27 · Edition 2.0 ·

GLT-FLY-GW06-07

**R&D Centre:** TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

**GW06** CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Column Glass with & Column Glass with Teflon Straight

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**10**  
PRODUCTS

**10**  
PACK  
OPTIONS

**₹1,075**  
PRICE FROM

**TYPICAL RESEARCH USE**

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                           | PRODUCT                                                              | PACK SIZES | PRICE (₹)    |
|------------------------------------------|----------------------------------------------------------------------|------------|--------------|
| <b>Column Glass with</b>                 |                                                                      |            |              |
| <b>GLT-GW06-073</b>                      | Column Glass with — Bore (Dia): 15mm · Length: 200mm                 | 1 pc       | <b>1,075</b> |
| <b>GLT-GW06-074</b>                      | Column Glass with — Bore (Dia): 20mm · Length: 300mm                 | 1 pc       | <b>1,525</b> |
| <b>GLT-GW06-075</b>                      | Column Glass with — Bore (Dia): 25mm · Length: 400mm                 | 1 pc       | <b>1,800</b> |
| <b>GLT-GW06-076</b>                      | Column Glass with — Bore (Dia): 30mm · Length: 450mm                 | 1 pc       | <b>2,200</b> |
| <b>GLT-GW06-077</b>                      | Column Glass with — Bore (Dia): 40mm · Length: 600mm                 | 1 pc       | <b>2,350</b> |
| <b>GLT-GW06-078</b>                      | Column Glass with — Bore (Dia): 50mm · Length: 600mm                 | 1 pc       | <b>2,850</b> |
| <b>Column Glass with Teflon Straight</b> |                                                                      |            |              |
| <b>GLT-GW06-079</b>                      | Column Glass with Teflon Straight — Bore (Dia): 15mm · Length: 200mm | 1 pc       | <b>1,275</b> |
| <b>GLT-GW06-080</b>                      | Column Glass with Teflon Straight — Bore (Dia): 20mm · Length: 300mm | 1 pc       | <b>1,825</b> |
| <b>GLT-GW06-081</b>                      | Column Glass with Teflon Straight — Bore (Dia): 25mm · Length: 400mm | 1 pc       | <b>2,325</b> |
| <b>GLT-GW06-082</b>                      | Column Glass with Teflon Straight — Bore (Dia): 30mm · Length: 450mm | 1 pc       | <b>2,650</b> |

Full specifications and every pack size: Product Catalogue 2026–27, pages **501–506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

**Order by Grace Cat. No. · quotations on request**

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-08

**R&D Centre:** TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Column Glass with Teflon Straight, Extraction apparatus, soxhlet, with Allihn condenser and I/C joint, 3.3 borosilicate glass & more

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

6  
PRODUCTS

6  
PACK  
OPTIONS

₹1,306  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                                                                                    | PRODUCT                                                                                                                                                    | PACK SIZES       | PRICE (₹) |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------|
| <b>Column Glass with Teflon Straight</b>                                                          |                                                                                                                                                            |                  |           |
| GLT-GW06-083                                                                                      | Column Glass with Teflon Straight — Bore (Dia): 40mm<br>· Length: 600mm                                                                                    | 1 pc             | 2,850     |
| GLT-GW06-084                                                                                      | Column Glass with Teflon Straight — Bore (Dia): 50mm<br>· Length: 600mm                                                                                    | 1 pc             | 3,025     |
| <b>Extraction apparatus, soxhlet, with Allihn condenser and I/C joint, 3.3 borosilicate glass</b> |                                                                                                                                                            |                  |           |
| GLT-GW06-085                                                                                      | Extraction apparatus, soxhlet, with Allihn condenser and I/C joint, 3.3 borosilicate glass — Capacity (ml): 60<br>· Flask size . (mm): 150 · Joint: 34/35  | 1 pc (case of 2) | 2,475     |
| GLT-GW06-086                                                                                      | Extraction apparatus, soxhlet, with Allihn condenser and I/C joint, 3.3 borosilicate glass — Capacity (ml): 100<br>· Flask size . (mm): 250 · Joint: 40/38 | 1 pc (case of 2) | 3,162     |
| GLT-GW06-087                                                                                      | Extraction apparatus, soxhlet, with Allihn condenser and I/C joint, 3.3 borosilicate glass — Capacity (ml): 200<br>· Flask size . (mm): 500 · Joint: 50/42 | 1 pc (case of 2) | 4,056     |
| <b>Extractors, soxhlet, with I/C joint, 3.3 borosilicate glass</b>                                |                                                                                                                                                            |                  |           |
| GLT-GW06-088                                                                                      | Extractors, soxhlet, with I/C joint, 3.3 borosilicate glass — Capacity (ml): 60 · Joint: 34/35 · Joint: 24/29                                              | 1 pc (case of 2) | 1,306     |

Full specifications and every pack size: Product Catalogue 2026–27, pages 501–506.

Grace Lifetech Pvt. Ltd.

Reg. Office: Mehrauli, New Delhi, India · www.gracelifetech.com

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-09

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

**GW06** CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Extractors, soxhlet, with I/C joint, 3.3 borosilicate glass, Condensers for extraction apparatus, Allihn, with I/C joint, 3.3 borosilicate glass & more

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**6**  
PRODUCTS

**6**  
PACK  
OPTIONS

**₹538**  
PRICE FROM

**TYPICAL RESEARCH USE**

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                                                                             | PRODUCT                                                                                                                 | PACK SIZES       | PRICE (₹)    |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------|--------------|
| <b>Extractors, soxhlet, with I/C joint, 3.3 borosilicate glass</b>                         |                                                                                                                         |                  |              |
| <b>GLT-GW06-089</b>                                                                        | Extractors, soxhlet, with I/C joint, 3.3 borosilicate glass — Capacity (ml): 100 · Joint: 40/38 · Joint: 24/29          | 1 pc (case of 2) | <b>1,788</b> |
| <b>GLT-GW06-090</b>                                                                        | Extractors, soxhlet, with I/C joint, 3.3 borosilicate glass — Capacity (ml): 200 · Joint: 50/42 · Joint: 24/29          | 1 pc (case of 2) | <b>2,269</b> |
| <b>Condensers for extraction apparatus, Allihn, with I/C joint, 3.3 borosilicate glass</b> |                                                                                                                         |                  |              |
| <b>GLT-GW06-091</b>                                                                        | Condensers for extraction apparatus, Allihn, with I/C joint, 3.3 borosilicate glass — Capacity (ml): 60 · Joint: 34/35  | 1 pc (case of 2) | <b>988</b>   |
| <b>GLT-GW06-092</b>                                                                        | Condensers for extraction apparatus, Allihn, with I/C joint, 3.3 borosilicate glass — Capacity (ml): 100 · Joint: 40/38 | 1 pc (case of 2) | <b>1,169</b> |
| <b>GLT-GW06-093</b>                                                                        | Condensers for extraction apparatus, Allihn, with I/C joint, 3.3 borosilicate glass — Capacity (ml): 200 · Joint: 50/42 | 1 pc (case of 2) | <b>1,444</b> |
| <b>Condensers, Liebig, with drip tip, I/C joint, 3.3 borosilicate glass</b>                |                                                                                                                         |                  |              |
| <b>GLT-GW06-094</b>                                                                        | Condensers, Liebig, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 200 · Joint: 19/26 · Joint: 19/26   | 1 pc             | <b>538</b>   |

Full specifications and every pack size: Product Catalogue 2026–27, pages **501–506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

**Order by Grace Cat. No. · quotations on request**

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-10

**R&D Centre:** TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Condensers, Liebig, with drip tip, I/C joint, 3.3 borosilicate glass & Condensers, Allihn, with drip tip, I/C joint, 3.3 borosilicate glass

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

6  
PRODUCTS

6  
PACK  
OPTIONS

₹675  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                                                              | PRODUCT                                                                                                               | PACK SIZES | PRICE (₹) |
|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------|-----------|
| <b>Condensers, Liebig, with drip tip, I/C joint, 3.3 borosilicate glass</b> |                                                                                                                       |            |           |
| GLT-GW06-095                                                                | Condensers, Liebig, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 300 · Joint: 24/29 · Joint: 24/29 | 1 pc       | 675       |
| GLT-GW06-096                                                                | Condensers, Liebig, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 400 · Joint: 24/29 · Joint: 24/29 | 1 pc       | 712       |
| <b>Condensers, Allihn, with drip tip, I/C joint, 3.3 borosilicate glass</b> |                                                                                                                       |            |           |
| GLT-GW06-097                                                                | Condensers, Allihn, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 200 · Joint: 19/26 · Joint: 19/26 | 1 pc       | 675       |
| GLT-GW06-098                                                                | Condensers, Allihn, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 300 · Joint: 24/29 · Joint: 24/29 | 1 pc       | 950       |
| GLT-GW06-099                                                                | Condensers, Allihn, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 400 · Joint: 24/29 · Joint: 24/29 | 1 pc       | 1,144     |
| GLT-GW06-100                                                                | Condensers, Allihn, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 600 · Joint: 29/32 · Joint: 29/32 | 1 pc       | 2,062     |

Full specifications and every pack size: Product Catalogue 2026–27, pages **501–506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-11

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

**GW06** CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Condensers, Graham, with drip tip, I/C joint, 3.3 borosilicate glass, Distilling Apparatus, Ammonia, with Graham condenser, I/C joint, 3.3 borosilicate glass & more

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

**5**  
PRODUCTS

**5**  
PACK  
OPTIONS

**₹1,362**  
PRICE FROM

**TYPICAL RESEARCH USE**

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                                                                                              | PRODUCT                                                                                                                                                            | PACK SIZES       | PRICE (₹)    |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------|
| <b>Condensers, Graham, with drip tip, I/C joint, 3.3 borosilicate glass</b>                                 |                                                                                                                                                                    |                  |              |
| <b>GLT-GW06-101</b>                                                                                         | Condensers, Graham, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 300 · Joint: 24/29                                                             | 1 pc             | <b>1,362</b> |
| <b>GLT-GW06-102</b>                                                                                         | Condensers, Graham, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 400 · Joint: 24/29                                                             | 1 pc             | <b>1,419</b> |
| <b>GLT-GW06-103</b>                                                                                         | Condensers, Graham, with drip tip, I/C joint, 3.3 borosilicate glass — Length (mm): 500 · Joint: 24/29                                                             | 1 pc             | <b>1,650</b> |
| <b>Distilling Apparatus, Ammonia, with Graham condenser, I/C joint, 3.3 borosilicate glass</b>              |                                                                                                                                                                    |                  |              |
| <b>GLT-GW06-104</b>                                                                                         | Distilling Apparatus, Ammonia, with Graham condenser, I/C joint, 3.3 borosilicate glass — Capacity (ml): 500 · Interchange- able Flask: 24/29 · Joint: 19/26       | 1 pc (case of 2) | <b>3,575</b> |
| <b>Distilling Apparatus, Ammonia, with Graham condenser, I/C joint, I/C stopper, 3.3 borosilicate glass</b> |                                                                                                                                                                    |                  |              |
| <b>GLT-GW06-105</b>                                                                                         | Distilling Apparatus, Ammonia, with Graham condenser, I/C joint, I/C stopper, 3.3 borosilicate glass — Capacity (ml): 500 · denser Jacket (mm): 200 · Joint: 19/26 | 1 pc (case of 2) | <b>3,575</b> |

Full specifications and every pack size: Product Catalogue 2026-27, pages **501-506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

**Order by Grace Cat. No. · quotations on request**

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026-27 · Edition 2.0 ·

GLT-FLY-GW06-12

**R&D Centre:** TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113

GW06 CONDENSERS, DISTILLATION & EXTRACTION GLASSWARE

# Flask Distilling with Side Arm, 3.3 borosilicate glass & Gas Generator, Kipp, I/C joint, 3.3 borosilicate glass

Illustrative image

Condensers, distillation heads, Soxhlet extractors, adapters, columns, drying tubes and traps with I/C joints.

6  
PRODUCTS

6  
PACK  
OPTIONS

₹344  
PRICE FROM

TYPICAL RESEARCH USE

Distillation and reflux

Solvent extraction

Assembling glass apparatus

| GRACE CAT. NO.                                                | PRODUCT                                                                                                                 | PACK SIZES | PRICE (₹) |
|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------|-----------|
| <b>Flask Distilling with Side Arm, 3.3 borosilicate glass</b> |                                                                                                                         |            |           |
| GLT-GW06-106                                                  | Flask Distilling with Side Arm, 3.3 borosilicate glass — Capacity (ml): 100 · Dimensions (mm): 64 × 210 · O.D (mm): 21  | 1 pc       | 344       |
| GLT-GW06-107                                                  | Flask Distilling with Side Arm, 3.3 borosilicate glass — Capacity (ml): 125 · Dimensions (mm): 68 × 214 · O.D (mm): 19  | 1 pc       | 388       |
| GLT-GW06-108                                                  | Flask Distilling with Side Arm, 3.3 borosilicate glass — Capacity (ml): 250 · Dimensions (mm): 88 × 226 · O.D (mm): 25  | 1 pc       | 438       |
| GLT-GW06-109                                                  | Flask Distilling with Side Arm, 3.3 borosilicate glass — Capacity (ml): 500 · Dimensions (mm): 110 × 250 · O.D (mm): 28 | 1 pc       | 562       |
| <b>Gas Generator, Kipp, I/C joint, 3.3 borosilicate glass</b> |                                                                                                                         |            |           |
| GLT-GW06-110                                                  | Gas Generator, Kipp, I/C joint, 3.3 borosilicate glass — Capacity (ml): 500                                             | 1 pc       | 10,725    |
| GLT-GW06-111                                                  | Gas Generator, Kipp, I/C joint, 3.3 borosilicate glass — Capacity (ml): 1000                                            | 1 pc       | 14,025    |

Full specifications and every pack size: Product Catalogue 2026–27, pages **501–506**.

**Grace Lifetech Pvt. Ltd.**

Reg. Office: Mehrauli, New Delhi, India · [www.gracelifetech.com](http://www.gracelifetech.com)

Order by Grace Cat. No. · quotations on request

Prices in INR, exclusive of GST and freight; subject to change without notice. "From" = lowest listed pack price.

Product Catalogue 2026–27 · Edition 2.0 ·

GLT-FLY-GW06-13

R&D Centre: TIH/CUB/04, BTCIF, 1st Floor, TICEL Biopark Limited Phase II, No. 5, CSIR Road, Taramani, Chennai – 600113